


TX-500SF Vertical CNC Servo Piston Screen Printing Machine





ÿScope of application

This servo curved screen printer is suitable for high-precision printing of wear-resistant coatings on the surface of engine pistons.



ÿ Main parameters

model	TX-500SF Maximum Prir	nting Size	200*500mm	
Air pressure	5bar	Printing Voltage/ Power	220V/50HZ/1000W	
Mia ស្ថាកែលទាប (e nder of prints	800-1000 (PCS/H) Maximum scree	en frame Rated	300*600mm	
ฟลหเลยู่ายู่ออะศิเออาเซอกร ÿ60-ÿ120mm		Printing height	ÿ150mm	
Machine size	1150*950*1600mm Machine gro	ss weight	272KG	

ÿMain peirenance

Gross weight

ÿ PLC controls various functional operations, with a high degree of automation and simple and convenient operation.

ÿ Built-in four-digit automatic counter.

ÿ Automatically scrape ink, return ink, and raise and lower the workbench, which not only simplifies the operation but also ensures the stability of printing quality.

ÿ The printing stroke and speed are adjustable to meet different printing requirements.

ÿ Automatic balancing scraper to ensure balanced printing pressure.

ÿ The workbench and screen frame can be fine-tuned front and back, left and right, up and down, with high printing accuracy and convenient and quick adjustment.

ÿThe scraper part can be lifted up independently, making it easy and convenient to replace and clean the screen frame.

ÿPrinting sample display





Configuration Instructions

Serial Numbe	er Accessory Name	Accessory brand Accessory	r production compone	nt	
1	guide	Hiwin	Taiwan	printing	
2	cylinder	AirTac	Taiwan	printing	
3	Reducer	Taiwan North Airport	Taiwan	Workstation seat	
4	PLC	Xinjie	Taiwan	Machine control	
5 Private	Service Motor	Xinjie	Taiwan	Machine control	
7	touchscreen	Kunlun Tongtai	Taiwan	Machine control	
8	Screw	TBI/HIWIN	Taiwan	printing	
9 AC cont	actor	Delixi	China	Machine control	
10	Relay	Delixi	China	Machine control	
11 Control	switch	Taiwan Brand	Taiwan	Machine control	
12 Proximi	ty switch	Taiwan Yangming	Taiwan	Machine control	
13 Air sourd	e pressure regulating valve	Yadek	China	Machine control	
14	Solenoid valve	Yadek	Taiwan	Machine control	
15 Air sou	ce connector	Shian	Taiwan	Machine control	
16	breaker	ABB	China	Machine control	
17					



ÿ Delivery list

Serial number	Tool Name	Specification	Unit Quantity Note	es	
1	Power cord	Standard	root	1	
2	Foot switch	Standard	indivual	1	
3	Phillips screwdriver	Standard	Bundle	1	
4	Adjustable wrench	Standard	Bundle	1	
5	Hexagon socket wrench	Standard	set	1	
6	Toolbox	Standard	indivual	1	
7. Scraper and ink return knife are standard			set	2 Including	scraper rubber
8	User Manual		Books	1	



ÿCorporate image



TAOXING

○ 精益求精 ○ 不断创新 Keep improving Keep innovation













ÿ Company Honors



地址:浙江省湖州市德清县新市镇田心路15号18-2栋 电话/TEL:400-683-6008 , 0571-86927248 ADD: Building 18-2, No.15 Tianxin Road, Xinshi Town, Deqing County, Huzhou City, Zhejiang Province, China www.siyinji.cn WWW.TX-UV.COM